

Message

From: Burns, Francis [Burns.Fran@epa.gov]
Sent: 9/24/2020 8:37:27 PM
To: Long, Kia [Long.Kia@epa.gov]; R3_QA [R3_QA@epa.gov]
CC: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: FW: Shiloh Church Road Site - New request for review of FSP/QAPP
Attachments: OSC-APPROVED-Shiloh Church Road_Removal_AMP_FSP_Revision 2_all.pdf; Shiloh Church_QAPP_Revision 01_091420_ew_TAT.docx; QA Document Review Request Form 07142020b.pdf

Kia:

I agree with Chris' request for expedited review of the plans for the Shiloh Church Road Site, which is an active removal action. I appreciate your assistance with the review.

Thanks,
Fran
Chief, Western Response Section
U. S. Environmental Protection Agency, Region 3
Burns.fran@epa.gov
215-814-3245

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Monday, September 21, 2020 2:34 PM
To: R3_QA <R3_QA@epa.gov>
Cc: Long, Kia <Long.Kia@epa.gov>; Burns, Francis <Burns.Fran@epa.gov>
Subject: Shiloh Church Road Site - New request for review of FSP/QAPP

Good Afternoon,

Attached please find the QA Document Review Form and corresponding Field Sampling Plan and SSQAPP for the Shiloh Church Road Site. As the OSC for this Site, I am requesting expedited review because the previous two rounds of quarterly drinking water sampling was postponed because of COVID-19 restrictions. EPA needs to sample as soon as possible to ensure the mitigation measures are working properly. **AIR MONITORING AND FIELD SAMPLING PLAN SHILOH CHURCH ROAD REMOVAL NATHALIE, HALIFAX COUNTY, VIRGINIA**

By this message, I am also requesting my supervisor, Fran Burns, authorize the request for expedited review.

If you have any questions, please contact me at 804-337-3049.

Thank you
Chris

Christine Wagner
Federal On-Scene Coordinator

EPA Region III
804-337-3049